UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/888,660	06/25/2001	Matti Kiiski	975.344USW1	8863

			EXAMINER
32294	7590	12/27/2004	JUNTIMA, NITTAYA

SQUIRE, SANDERS & DEMPSEY L.L.P.
14TH FLOOR
8000 TOWERS CRESCENT
TYSONS CORNER, VA 22182

ART UNIT	PAPER NUMBER
2663	

DATE MAILED: 12/27/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

-- *The MAILING DATE of this communication appears on the cover sheet with the correspondence address* --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE *3* MONTH(S) FROM
THE MAILING DATE OF THIS COMMUNICATION.
- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed
  after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
  Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any
  earned patent term adjustment. See 37 CFR 1.704(b).

Status

1)☒ Responsive to communication(s) filed on *25 June 2001*.

2a)☐ This action is **FINAL**.   2b)☒ This action is non-final.

3)☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is
closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4)☒ Claim(s) *1-31* is/are pending in the application.

4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5)☐ Claim(s) _____ is/are allowed.

6)☒ Claim(s) *1-13,17-26 and 29-31* is/are rejected.

7)☒ Claim(s) *14-16,27 and 28* is/are objected to.

8)☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9)☐ The specification is objected to by the Examiner.

10)☒ The drawing(s) filed on *25 June 2001* is/are: a)☒ accepted or b)☐ objected to by the Examiner.

Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11)☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12)☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

a)☒ All b)☐ Some * c)☐ None of:

1.☒ Certified copies of the priority documents have been received.

2.☐ Certified copies of the priority documents have been received in Application No. _____.

3.☐ Copies of the certified copies of the priority documents have been received in this National Stage
application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1) ☒ Notice of References Cited (PTO-892)

2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)

3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date *6/25/01*.

4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.

5) ☐ Notice of Informal Patent Application (PTO-152)

6) ☐ Other: _____.

DETAILED ACTION

Claim Rejections - 35 USC § 102

1.   The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the

basis for the rejections under this section made in this Office action:

> A person shall be entitled to a patent unless –
>
> (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2.   Claims 1-5, 7-8, 10, 17-22, 24-25 , and 29-31 are rejected under 35 U.S.C. 102(b) as

being anticipated by "A cell discarding strategy to reduce cell error rate in wireless ATM

network" by Sheu et al. ("Sheu").

Per claim 1, Sheu teaches a packet transmission method, comprising the steps of:

a) judging the quality of a received data packet (cell status, i.e. clean or dirty);

b) tagging said data packet by adding a dropping information (a CLP bit) in response to

the result of said judging step (a dirty cell with high priority, i.e. a DH cell, is tagged as low

priority with CLP set to 1); and

c) dropping said tagged data packet based on said added dropping information, when

a predetermined dropping condition (network congestion) is met.

See section1 Introduction and section4 Cell Discarding Strategy.

Per claims 2 and 19, Sheu teaches that said dropping information is a drop flag (CLP bit

in header field) provided in a header portion of the data packet. See section4 Cell Discarding

Strategy.

Per claims 3-4 and 21, Sheu further discloses that the quality judgment (cell status

determination) is performed on the basis of an error check of the data packet (HEC) which is

performed based on a cyclic redundancy code (CRC-8 code in HEC field used for error

detection/correction) included in the received data packet. See section1 Introduction.

Per claims 5 and 22, the quality judgment (cell status determination, i.e. clean or dirty)

must be performed on the basis of a comparison of a quality of likelihood parameter (not

defined, reads on error(s) in HEC of an ATM cell) with a predetermined/stored threshold (one

error) in order to determine whether a cell is clean or dirty (cell is defined as dirty when error(s)

found in HEC is equal or greater than the threshold of one). See section1 Introduction.

Per claims 7 and 24, Sheu further teaches that the dropping step is executed at a network

element (an ATM node inherently resides within an ATM network) where congestion control is

implemented. See section1 Introduction.

Per claim 8, Sheu teaches that the predetermined dropping condition is a congestion of a

transmission link (network congestion inherently includes link congestion, section1

Introduction).

Per claim 10, Sheu teaches that the packet transmission method is an ATM transmission

method, and the data packet is an ATM cell. See section1 Introduction.

Claims 17 and 18 are apparatus claims corresponding to method claim 1 and are therefore

rejected under the same reason set forth in the rejection of claim 1.

Per claim 20, Sheu teaches that the packet transmission apparatus (a central station in Fig.

1) is arranged to perform an uplink transmission (ATM cell transmitted from a central station to

the ATM network in Fig. 1) and the inherent judging means is arranged to judge the quality of

the received data packet based on an error check (HEC) of the packet. See section1 Introduction

Per claims 25 and 30, since cells with CLP = 1 will be dropped during network

congestion (section1 Introduction, 3rd paragraph), therefore, the inherent dropping means must

comprise a drop control means for determining a congestion of a transmission link, as said

predetermining dropping condition, and for releasing a dropping operation when the determined

dropping condition has been determined.

Claim 29 is a network element claim corresponding to method claim 1 and is therefore

rejected under the same reason set forth in the rejection of claim 1.

Per claim 31, Sheu teaches that the network element is an ATM node (a central station in

Fig. 1) and the received data packet is an ATM cell. See section1 Introduction.

Claim Rejections - 35 USC § 103

3.   The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all

obviousness rejections set forth in this Office action:

> (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in
> section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are
> such that the subject matter as a whole would have been obvious at the time the invention was made to a person
> having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the
> manner in which the invention was made.

4.   Claim 9 is rejected under 35 U.S.C. 103(a) as being unpatentable over "A cell discarding

strategy to reduce cell error rate in wireless ATM network" by Sheu et al. ("Sheu") in view of

Fichou et al. ("Fichou") (USPN 6,072,773).

Per claim 9, Sheu fails to explicitly teach that the predetermined dropping condition is an

overuse of a contract of a particular connection.

However, Fichou teaches that the dropping condition is an overuse of a contract of a particular connection (cell in excess of traffic and tolerance parameters provided at a connection setup is discarded, col. 6, ll 13-31 and col. 9, ll 18-33).

Therefore, it would have been obvious to one skilled in the art at the time the invention was made to include that the predetermined dropping condition is an overuse of a contract of a particular connection into the claim. The motivation/suggestion to do so would have been to implement a policing function to control the user/network traffic to be consistent with parameters provided at connection setup time as taught by Fichou (col. 9, ll 18-33).

5.   Claims 6, 11, and 23 are rejected under 35 U.S.C. 103(a) as being unpatentable over "A cell discarding strategy to reduce cell error rate in wireless ATM network" by Sheu et al. ("Sheu").

Per claims 6 and 23, Sheu does not teach that the predetermined/stored threshold (one error) is periodically updated for each transmission link of the telecommunication network (a wireless ATM network in Fig. 1).

However, because CLP has two levels of high and low priorities, it would have been obvious to one skilled in the art at the time the invention was made to include that the predetermined threshold is periodically updated for each transmission link of the telecommunication network according to a severity of network congestion (e.g. high congestion has threshold of one so that dirty cell with high priority of would be changed to low priority and discarded while low congestion has threshold of three such that only cells with three errors or above would be discarded in order to alleviate low network congestion), since such a

modification would have involved a mere change in value of the threshold and is generally

recognized as being within the level of ordinary skill in the art.

Per claim 11, the difference between the teaching of Sheu and claim 11 is that Sheu

teaches packing a defective data frame (an error frame) into an ATM cell and the ATM cells

which contain only defective frames (dirty cells) are tagged in the tagging step (DH cells with

CLP=0 are retagged as DL with CLP=1), not packing multiple defective frames into the same

ATM cell as recited in the claim.

However, since an ATM payload has 48 bytes (Fig. 2), more than one data frame of

appropriate size may be packed into an ATM cell. Therefore, it would have been obvious to one

skilled in the art to include packing multiple defective frames into the same ATM cell so that it

would be treated the same way as the ATM with one defective frame.

6.   Claims 12 and 26 are rejected under 35 U.S.C. 103(a) as being unpatentable over "A cell

discarding strategy to reduce cell error rate in wireless ATM network" by Sheu et al. ("Sheu") in

view of Wallentin (USPN 6,233,222 B1).

Per claims 12 and 26, Sheu teaches that the telecommunication network is a mobile

communication network (a wireless ATM network in Fig. 1, see also section1 Introduction), but

fails to teach the transmission method is used for transmitting ATM cells between a base station

and a radio network controller.

However, Wallentin teaches transmitting ATM cells between ATM-based nodes, i.e. a

base station (BS 224 in Fig. 4) and a radio network controller (RNC 222 in Fig. 3). See col. 6, ll

37-43.

Given the teach Wallentin, it would have been obvious to one skilled in the art at the time

the invention was made to include that the transmission method is used for transmitting ATM

cells between a base station and a radio network controller as recited in the claim. The

suggestion/motivation to do so would have been to enable one to apply the transmission method

to the base station and radio network controller of Wallentin which both are ATM-based nodes

such as as such application of the transmission involves only routine skill in the art.

7.   Claims 13 are rejected under 35 U.S.C. 103(a) as being unpatentable over "A cell

discarding strategy to reduce cell error rate in wireless ATM network" by Sheu et al. ("Sheu") in

view of an art of record ("Martikainen") (WO 98/08351).

Per claim 13, Sheu fails to teach that the data packet comprises a macro diversity

combining bit stream.

As shown in Fig. 1, Martikainen teaches a data packet comprising a macro diversity

combining bit stream (page 3, ll 2-30).

Given the teaching of Martikainen, it would have been obvious to one skilled in the art to

include that the data packet comprises a macro diversity combining bit stream as recited in the

claim. The suggestion/motivation to do so would have been to enable one to select one of the

packets transmitted via different transmission branches that is better according to a criterion as

taught by Martikainen (page 3, ll 6-10).

Allowable Subject Matter

8.   Claims 14-16 and 27-28 are objected to as being dependent upon a rejected base claim,

but would be allowable if rewritten in independent form including all of the limitations of the

base claim and any intervening claims.

Conclusion

9.   Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Nittaya Juntima whose telephone number is 571-272-3120. The

examiner can normally be reached on Monday through Friday, 8:00 A.M - 5:00 P.M.

        If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Chau Nguyen can be reached on 571-272-3126. The fax phone number for the

organization where this application or proceeding is assigned is 703-872-9306.

        Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Nittaya Juntima
December 21, 2004
        NJ

CHAU NGUYEN
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600